

Index

!, 148-149
" ", 150, 199-200
&, 199
(), 194
*, 150, 193
*/, 218
..., 148
/, 193
/*, 218
//, 149
?, 149
~, 150
@, 149-150
^, 193-194
+, 192
-, 193
<, 147, 196
« », 173
<=, 148, 196-197
<>, 196
=, 148, 195-196
==, 150
>, 148, 196
>=, 148, 196
≠, 196
≤, 148, 196-197
≥, 148, 196
¶, 200-201
8-terabyte file limit, 114, 396
10-base-T Ethernet network, 354
32-bit color setting, 310
100-base-T Ethernet network, 354
256-color setting, 310
A
access
 limiting with calculations, 428-431
 limiting with scripts, 426-427
 via Instant Web Publishing, 368
 via ODBC/JDBC, 382-383
Access, *see* Microsoft Access
Access Denied, 426
access log file, Instant Web Publishing,
 378-379

access privileges, 25-27, 375 *see also* privilege
 sets
 and passwords, 25-27
 and web sharing, 357-376
 for fields, 425-426
accessing field only in Find mode, 113
account name, not case sensitive, 425
accounts, 403
 Admin, 405
 converting, 510
 deleting, 425
 editing, 425
 Guest, 403-405
 New, 405-406
 testing, 425
Accounts & Privileges, 26, 33, 403
accounts and privileges system, 403
 web security, 375-376
Accounts script category, 283
Accounts tab, 403
Acrobat 7, 481, 491
activating FileMaker, xxvii
Active accounts column, 407-408
Actual Technologies, 492
Add Data Source, 143, 255
Add Fields to Portal window, 107, 110
Add Relationship tool, 101
Add Subtotal button, Layout Assistant, 169
Add Table Occurrence to Graph tool, 101
Add Table Reference button, 256, 258
addition operator, 192
Adjust Window script step, 250, 280
Admin account, 405
Adobe PageMaker, 468
Advanced Web Publishing Options window,
 366
aggregate functions, 220-221
alias, 5
Align, 36
 Bottom Edges, 36
 Centers, 36
 Left Edges, 36
 Middles, 36
 Right Edges, 36

- Top Edges, 36
 - Align text toolbar buttons, 36
 - Align toolbar button, 36
 - Align tools, 101-102
 - aligning
 - layout objects, 39-40
 - relationships, 101-102
 - text on layouts, 64
 - values in number fields, 138
 - All no access option, 412
 - Allow field to be entered in Browse mode option, 142
 - Allow User Abort [Off] script step, 266
 - Allow user to override data validation warnings, 420
 - Allow user to override during data entry check box, 185
 - allowing creation of
 - records, 135
 - related records, 103-104
 - scripts, 418
 - value lists, 417
 - allowing deletion of related records, 105
 - alpha characters in number fields, 55-56
 - AM in time fields, 56
 - anchor-buoy, 96, 128, 132, 134, 167, 221, 252, 260-261, 305, 342, 479, 522-526
 - table occurrence naming, 127-128, 522
 - AND, 197
 - and OR, 198
 - finds, 150, 163
 - logical operator, 197
 - antialiasing, 38
 - Any New Layout option, 414
 - Any New Script option, 418
 - Any New Table option, 410
 - Any New Value List option, 416
 - Append to PDF⁹, 270
 - Apple OpenDirectory, 404
 - AppleScript as backup program, 434
 - application, 4
 - Apply current layout's data formatting to exported data radio button, 442
 - archiving, 438-439
 - Arrange menu options
 - Align, 40
 - Bring Forward, 40
 - Bring to Front, 40
 - Distribute, 40
 - Group, 305
 - Lock, 40
 - Object Grids, 37
 - Resize To, 40
 - Rotate, 137, 309
 - Send to Back, 305
 - Ungroup, 305
 - Unlock, 40, 305
 - Arrange toolbar, 36
 - arrow, zigzagged, 355
 - arrow keys, 38
 - ASCII, *see* Unicode
 - Asian characters, 23
 - asking guests of shared files to close, 355
 - assigning
 - button to script, 45-46
 - keyboard shortcut to script, 245
 - script to button, 45-46
 - script to keyboard shortcut, 245
 - Auto-Complete, 79-80
 - Auto-Enter tab, 179-182
 - auto-entered values, 179-182
 - calculated value, 180-181, 215-216
 - calculated value vs. lookup, 180-182
 - data, 180
 - lookup value, 181-182
 - serial number, 179-180
 - value from previous record, 180
 - automatic data entry, 179-182
 - automatic loan calculation, 226-227
 - automatic record-saving, 516-517
 - Automatically create indexes as needed check box, 188
 - Autoresize Layout Objects⁹, 319-321
 - Available menu commands pop-up, 420
 - Average function, 220
 - avoiding special characters in field names, 54-55
- ## B
- backing up, 434-435
 - and file corruption, 436
 - exporting records, 440-443
 - reasons for, 433-434
 - Backspace key, 88
 - backup applications, 434-435
 - AppleScript, 434
 - iDisk, 436
 - NT Scheduler, 434
 - PC Backup, 434
 - Retrospect, 434
 - SuperDuper!, 434
 - backup files,
 - archiving, 438-439
 - restoring from, 445-447
 - testing, 439
 - using, 445-450
 - backup routine, 438-439

backups, problem with tape, 435-436

Blackbelt, 378

Blank layout, 23, 175

blank lines in labels, 174

Body layout part, 299

Bold toolbar button, 36

Book, 8-9, 68

 selecting a record, 68

Book icon, *see* Book

Boolean values, 194-195

 evaluating, 194-195

 performing find on, 194-195

borders

 field, 33, 312-313

 layout, 264

box, *see* fields

break field parameter, 223

breaking data into smallest usable bits, 47

Bring Forward toolbar button, 36

Bring to Front toolbar button, 36

Browse mode, 20

 changing format of text in, 48

 editing dialogs in, 276

 Records menu in, 24

browser interface, Instant Web Publishing,
371-375

browsers, Instant Web Publishing, 368-369

Button icon, 45

Button Setup window, 45-46

Button tool, 36

Button tool toolbar button, 36

buttons,

 assigning to a script, 45-46

 calling external scripts with, 256

 changing functionality of, 48

 changing text of, 48

 changing with calculations, 226

 editing text on, 46

 fields as, 71

 in Instant Web Publishing, 369-370

 in Preview mode, 296

 layout objects as, 71

 navigating with, 306

 placement on layouts, 306

 resizing, 45

 to delete portal records, 137

C

calculated result, replacing with, 85

calculated value, auto-enter, 215-216

Calculated value check box, 180

calculated value vs. lookup, 180-182

calculation field, 58-59, 190-191

 and font formatting, 83

 as key, 188

 converting, 212

 entering data in, 71

 global storage, 192

 images in, 58

 text in, 187

 vs. summary field, 59, 202

Calculation result is pop-up list, 58, 202

calculation results, 202

 problem, 202

 that cannot be stored, 188

calculations,

 as validation, 184-185

 as validation vs. validate by calculation,
184-185

 carriage returns in, 58

 changing buttons with, 226

 combining text in, 140

 commenting, 200, 210, 218

 commenting out, 200, 210, 218

 complex, 208-209

 constant in, 192

 context of, 180-181, 230

 displaying as container result, 57

 displaying as date result, 58

 displaying as text result, 58

 displaying as time result, 58

 highlighting fields of, 224

 limiting access with, 428-431

 pipeline, 261

 rounding number vs. formatting field on
 layout, 194

 specifying when defining button, 191

 testing in a large file, 205

 tricks with labels, 174

 tricks with merge fields, 174

 updating, 274

 using scripts to place in fields, 190-191

 validating by, 184-185

 within calculations, 206-207

calendar, PDA, 463-464

Calendar drop-down, 80-81

camel case, 31

carriage returns, 200-201

 checking for in a field, 184-185

 in calculations, 58

Cartesian, 123

Case function, 214, 228-229

case-sensitive passwords, 425

CDML, 377

 Converter, 377

cell, *see* fields

cell-phone sized Web Viewer, 483

- changed record conflicts, FileMaker Mobile, 461
- charts, Web Viewer, 484
- check boxes, 77
 - using, 89
- checking
 - data for accuracy, 182-185
 - for carriage returns in a field, 184-185
 - for extra spaces in a field, 184-185
- chevron, 171, 173
- child table, 104-105, 118-119
- Choose Report Layout window, Layout Assistant, 168
- circle, calculating area of, 228
- Claris Dynamic Markup Language, *see* CDML
- Clear Query button, 390
- clipping files, 77
- clone, 437
 - backup of, 450
 - saving, 438
- clone (no records) option, 10, 438
- coffee cup, 355
- colors,
 - custom, 314
 - of selection handles, 21-22
 - setting, 310
 - text, 265
- column arrangements, 23
- column widths, resizing, 173
- Columnar List/Report layout, 23, 167-172
 - vs. Table view, 293-295
- Columnar reports, 327-328
- columns with vertical lines, 301
- combining files, 518-519
- commands, keyboard, xxvii
- comment out, 200, 210, 218
- Comment script step, 155, 253
 - using to document work, 155
- comments,
 - adding to calculations, 200, 210, 218
 - adding to scripts, 253
- Comments column, 15
- commercial databases, 52
- commercial files, 52
- Commit Records/Requests script step, 272-273, 515
 - and Set Field, 273
- compacted copy (smaller) option, 10, 440
- comparison and logical operators list, 191
- comparison operators, 194
 - equal to, 195-196
 - greater than, 196
 - greater than or equal to, 196
 - less than, 196
 - less than or equal to, 196-197
 - not equal to, 196
- complex calculations, 206
 - building, 208-209
- complex relationship, 99
- compound key, 187, 200
- computer maintenance procedures, 440
- conditional formatting⁹, 323-325
- concatenate text operator, 199
- concatenated fields, 140-141
- concatenated key, 141
- concatenation, 140
- conditional script using If script step, 155
- consolidating files, 518-519
- constants, 190
 - in calculation fields, 58, 123, 192
- Constrain Found Set, 151-152
- consultants, 527-528
- container data using global storage, 60-61
- container fields, 57-58
 - and multimedia presentations, 81
 - entering data in, 71
 - using, 81-83
- context menus, 24, 35
 - Set Tooltip, 322
- Control script steps, 249
- conventions, xxv-xxvi
 - naming, 61, 519
- conversion,
 - checklist, 504-505
 - errors, 506-510
- Conversion.log, 505, 506-507
- converting
 - accounts and privileges, 508, 510
 - calculation fields, 212
 - file references, 506, 509
 - files, 503
 - multi-file to single-file, 511
 - passwords, 506, 508
 - relationships, 509
 - scripts, 508-509
- copy and paste scripts, 274-275, 287-288
- Copy command, 76
 - FileMaker Mobile, 465
- copy of current file option, 10
- Copy script step problem, 310
- Copy toolbar button, 36
- CoreSolutions Development, Inc., 519
- corrupted files, 436
- corruption,
 - data, 436
 - database, 436-437

- file, 436
- Count function, 220
- crash, network, 355
- creating databases, prevent users from, 516
- Creation check box, 179
- creation of data, tracking, 179
- creation order option, 14
- CreationDate field, 32
- CreationTime field, 32
- crow's-foot, 104
- currency, formatting numbers as, 138
- Current Date, 75
- Current fill properties button, 36
- current found set,
 - match all records in, 253, 258
 - records hidden, 145
 - records omitted, 145
- Current layout number, 68
- Current page number, 68
- Current pen properties button, 36
- Current record, 68
- Current record bar, 68
- Current request number, 68
- Current User Name, 75
- cursor in container fields, 58
- custom
 - colors, 314
 - Control script steps, 249
 - login system, 278
 - menus, 319, 421
 - message if validation fails, 185
 - order based on value list sort, 105
 - tabs, 64
 - web address, 477, 480
 - web site, 377
- custom dialog, showing, 276-278
- Custom Field Privileges window, 410
- custom functions, FileMaker Developer,
 - 240-241
- Custom Layout Privileges window, 413
- Custom Record Privileges window, 412
- Custom Script Privileges window, 418
- Custom Space toolbar button, 36
- Custom Value List Privileges window, 416
- custom web address, 477, 480
- Cut toolbar button, 36

D

- damaged file messages, 445
- data,
 - adding to a record, 71-74
 - auto-entered, 179
 - changing, 83-88
 - corruption, 436

- deleting, 88-89
- encryption, 431, 468
- entering incorrect with script, 149
- excluding from a find, 157
- exporting, 381-382
- finding incorrect, 149
- importing, 381-382
- importing in Macintosh, 388
- importing in Windows, 389-392
- importing incorrect, 149
- in number fields, 46-47
- in portal of new record, 449
- incorrect conversion of, 149
- normalization, 95
- sharing, 383-385
- Data Access and Design area, 408-420
- Data check box, 180
- data entry,
 - automatic, 179-182
 - forcing proper, 182-185
 - shortcuts, 74-81
- data entry layout vs. printing layout, 291, 295
- Data Entry Only privilege set, 405
- data source
 - setting up in Macintosh, 385-387
 - setting up in Windows, 388-389
- Data Source Name, *see* DSN
- data sources,
 - adding, 142-143, 256-257
 - external, 135-136, 142-143, 283, 492-493, 509-510
- FileMaker, 16
- data URLs, 490
- database design report, 505
- database homepage, 369
- database system, 2, 3
- databases, 3
 - commercial, 52
 - corruption of, 436
 - creating, 53
 - flat file, 91-92
 - planning, 28-30, 120-121
 - preventing users from creating, 516
 - relational, 3, 92-93
- date,
 - current, 23
 - finding in number fields, 179
 - format on layouts, 63-64
 - formatting in merge fields, 174
 - four-digit years, 56, 149, 183
 - functions, 216
 - handling in scripts, 216
 - importing, 149

- inserting current, 75
 - invalid, 149
 - of creation, 179
 - of modification, 179
 - two-digit years, 149, 183
 - date fields, 56
 - entering dates in, 56
 - formatting, 56, 63-64
 - separators in, 56
 - Date Format window, 63-64
 - date range report, 328-337
 - date range scripts, 336
 - DateToText, *see* GetAsText(date)
 - debugging scripts, 160, 271-274, 520-521
 - decimal number in Next value field, 179
 - Decrease Font Size toolbar button, 36
 - default
 - format, 307
 - password, 432
 - privilege sets, 406-407
 - settings in Layout Assistant, 167
 - Default Front Tab⁹, 315
 - Define Database window, *see* Manage Database window
 - Define File References window, *see* Manage External Data Sources window
 - defragmenting hard drive, 440
 - Delete button, 12
 - Delete key, 88
 - Delete Layout toolbar button, 36
 - Delete Selected Object(s) tool, 101
 - deleting records,
 - cannot Revert, 89
 - cannot Undo, 89
 - FileMaker Mobile, 465
 - related, 105
 - design functions, 237-238
 - storing calculated results in, 238
 - developer standards, 519
 - dialing phone number, 514-515
 - digital camera, importing from, 57, 395-398
 - Disconnect inactive accounts option, 366
 - Disconnect user from FileMaker Server
 - when idle option, 420
 - Display custom message if validation fails
 - check box, 185, 429
 - Distribute, 40, 102
 - Horizontally, 40
 - Vertically, 40
 - division operator, 193
 - Do Not Allow User to Override Data Validation, *see* Strict data type
 - Do not evaluate if all referenced fields are empty check box, 195, 201-202
 - Do not print the selected objects check box, 251, 295-296
 - Do not replace existing value of field (if any) check box, 181, 215
 - Document Preferences, *see* File menu options, File Options
 - document tracking, 57
 - Documentation, Product, 204
 - documenting work, 513
 - Don't display in Open Remote File dialog check box, 349
 - double
 - arrowheads, 171
 - colon, 18
 - equal sign, 150
 - Double Space toolbar button, 36
 - Dowling, Dave, 469
 - drag-and-drop, 76-77
 - between applications, 76
 - using clipping files (Macintosh), 77
 - drawing tools, 37
 - Drop Shadow effect, 313
 - drop-down list, creating in child table, 138-140
 - drop-down menu, 138 *see also* pop-up menu
 - DSN, 385, 387-388
 - System, 385
 - User, 385
 - duplicate addresses, 123
 - Duplicate command, 35
 - Duplicate Layout toolbar button, 36
 - duplicate names, 123
 - duplicate records, finding, 148-149
 - Duplicate Table Occurrences tool, 101
 - duplicates find symbol, 148-149
 - duplicating records, FileMaker Mobile, 465
 - duplicating script steps, 339
- E**
- Edit Account window, 404-405
 - Edit current record button, Instant Web Publishing, 374
 - Edit Data Source window, 350
 - Edit Find Requests criteria, 265
 - Edit menu options
 - Copy, 76
 - Find/Replace, 86-87
 - Paste, 76
 - Spelling, Check Selection, 84
 - Undo Resize, 39
 - Edit Privilege Set window, 383, 407, 408
 - Edit Relationship window, 97, 125

- Edit Relationships, 133
- Edit Script window, 41-42, 245, 289, 336
- Edit Selected Object tool, 101
- Edit Value List window, 78
- Editing Only, 420
- effects, adding to objects, 313
- Ellipse (or Oval) drawing tool, 37
- Ellipse tool toolbar button, 36
- Else If script step, 263
- e-mail
 - addresses, finding, 148
 - MailIT plug-in, 515
 - PDF, 268
 - symbol (@), 148
- Email Link to Published Database⁹, 357
- e-mail, sending from FileMaker, 515-516
- E-mail Merge, 516
- Emboss palette, 36
- Embossed effect, 313
- employee hours, tracking, 216-218
- encryption, 431
- End If script step, 249
- End Loop script step, 249
- Engraved effect, 313
- Enter key, 68, 87, 109
- entity, 121
- Entity-Relationship diagram, *see* ER diagram
- Envelope layout, 23, 175
- envelopes, printing problem with, 175
- equal relationships, 99
- equal to operator, 195
- ER diagram, 121
 - for invoicing system, 128-129
- error messages,
 - Status(CurrentODBC Error), *see* Get(LastODBCError)
 - using to alter scripts, 156
 - when backing up, 445
- errors detected when importing scripts, 274
- ESS, *see* External SQL Source
- Ethernet network,
 - 10-base-T, 354
 - 100-base-T, 354
 - errors, 514
- Ethernet web sharing, 380
- Evaluate function, 230-231
- Evaluate this calculation from the context of
 - drop-down, 181, 205, 230
- exact match find symbol, 148
- Excel, *see* Microsoft Excel
- exclusive AND, 152
- exclusive OR, 198
- Execute SQL script step, 393-394
- Existing Value validation option, 184
- Exit after last script step option, 262, 267
- Exit Record/Request script step, *see* Commit Records/Requests script step
- Exit Script Result option, 250
- Exit Script step, 249
 - vs. Halt Script step, 250
- exiting
 - FileMaker Pro program (Windows), 11
 - loop, 267
 - ScriptMaker, 44
- Export Field Contents, 25, 357
- Export Records to File window, 440-441
- Export XML script, 470-471
- exporting
 - as FileMaker Pro file, 442, 446-447
 - as merge file, 445, 446-447
 - data, 381-382, 443
 - fields using current layout, 441
 - from External SQL Source tables, 501
 - procedure, 442
 - records as backup technique, 440-441
 - records with script, 442
 - XML as HTML, 469-472
- expression, 204
- Extend Found Set, 152-153
- Extended Columnar reports, 327-328
- extended privileges, Instant Web Publishing, 368
- Extended Privileges area, 421
- Extended Privileges tab, 421-423
- Extensible Markup Language, *see* XML
- Extensible Stylesheet Language, *see* XSL
- external data sources, 135-136, 142-143, 283, 493, 509-510
- external functions, 238-239
 - finding, 239
- external server, validating account via, 404
- External SQL Data Source, *see* External SQL Source
- External SQL Source (ESS), 116, 492-493
 - applying limitations to, 409, 415
 - date fields, 499-500
 - error message, 500
 - exporting, 501
 - importing, 501
 - MySQL Mini Edition 5.0, 493
 - ODBC drivers, 500
 - Oracle 9g, 493
 - Oracle 10g, 493
 - port, 387
 - primary key missing, 499
 - record locking, 500

- speed, 500
- SQL Server 2000, 493
- SQL Server 2005, 493
- sync, 499
- unique key, 496-497
- value lists, 501
- views, 500
- extra zeros in number fields, 55
- extracting street name from address field, 209-211

F

- Fast Find, *see* Quick Find
- Fast Send, 357
- Fast User Switching, xxvii
- FedEx, 475
- feedback to FileMaker, Inc., xxviii
- field access privileges, 425-426
- Field Behavior option, 142
- field borders, 33, 137, 312-313
 - check boxes, 33
 - color palette, 33
 - formatting, 312-313
 - line width palette, 33-34
 - pattern palette, 33-34
- Field Borders window, 33-34, 313
 - format pop-up list, 33
- field character limit in FileMaker Mobile, 465
- field content match find symbol, 150
- Field Contents, Export, 25, 357
- Field/Control, 33
- Field/Control Behavior option, 113
 - Field-level Control of Spell Checking⁹, 84
- Field/Control Borders, 34, 313
- Field/Control Setup window, 21, 62, 78
 - accessing, 21
 - changing fields in, 21
- field definition, commenting, 210
- Field Format window problem, 307
- field frames, 295
- field labels, 137-138
- Field-level Control of Spell Checking⁹, 84
- field limit in FileMaker Mobile, 465
- field mapping, 391-392
 - merge files, 442
- Field Name box, 15
- Field Name column, 15
- field names, 47, 54-55, 223
 - avoiding special characters in, 54-55
 - changing, 31
 - considerations when naming, 54
 - descriptive, 54-55
 - in browsers, 54
 - in ODBC, 54
 - in SQL, 54
 - length of, 54
 - using spaces in, 54
 - using underscore character in, 54
- field options, 32
 - FileMaker Mobile, 465
- field order, FileMaker Mobile, 461
- field properties, FileMaker Mobile, 458-459
- Field tool, 32, 36, 47
- field types
 - calculation, 58-59
 - container, 57-58
 - date, 56
 - global storage, 223
 - in FileMaker Mobile, 465
 - number, 55-56
 - summary, 59-60
 - text, 55
 - time, 56
 - timestamp, 57
- field validation, 278
- FieldNames function, 237-238
- fields, 8-9, 53
 - allowing changes to protected, 141-142
 - as buttons, 71
 - changing data in, 83-88
 - changing default font for, 48
 - changing in shared files, 359
 - changing on layout, 21
 - choosing for portal, 108, 261
 - concatenating, 141
 - contents test, 229
 - creating, 31-32, 53-54
 - data entry options, 178-182
 - defining, 14-15
 - deleting, 513
 - duplicating, 54, 513
 - formats on layouts, 63-65
 - formatting, 312-313
 - formatting on layout vs. rounding
 - calculation, 194
 - hiding, 311
 - in portals, 261
 - inaccessible, 71
 - indexing, 157, 187-188
 - key, 95
 - labels, 27
 - labels don't match field names, 27
 - locked, 71
 - match, 95
 - merge, *see* merge fields
 - naming, 54-55, 519
 - not needed in portal, 108

- placing in a portal, 108-109
 - protecting, 112-113, 310
 - renaming, 93
 - repeating, *see* repeating fields
 - selecting multiple, 513
 - shrinking to hide, 311
 - sliding, 295
 - supplemental, 498
 - unenterable, 71
- Fields tab, 14-16
- FieldStyle function, 237-238
- file
- conversion, 504-506
 - corruption, 436
 - renaming, 135-136
 - server, 354, 439
 - synchronization, 398
- file access, limiting for the Internet, 431
- File menu, 5
- File menu options
- Close, 11
 - Exit (Windows), 11
 - Export, 442
 - Export Records, 381
 - File Options, 275
 - File Options, Open/Close, 427
 - Import, 447
 - Import Records, 381
 - Manage, Accounts & Privileges, 26-27, 383, 403
 - Manage, Database, 13-14
 - Manage, External Data Sources, 283, 493
 - Manage, Value Lists, 138
 - Open, 5
 - Quit (Macintosh), 11
 - Recover, 445
 - Save a Copy As, 10-11, 438
- file names, 135-136
- File Not Found dialog, 136
- File Options toolbar button, 36
- file references, *see* external data sources
- file sharing, 346-347
- and speed of hard drive, 354
 - and speed of network, 353, 355
 - as guest, 249-250
 - as host, 349
 - as remote host, 349, 353
 - caution, 351-352
 - limitations of, 352
 - limited number of guests, 352
 - network vs. FileMaker Pro sharing, 347
 - optimizing performance, 353
 - remote host caution, 349
 - requirements for, 347-348
 - through modem, 351
 - through the Internet, 351
 - turning on, 348
 - with FileMaker, 347
 - with FileMaker Server, 347, 355
- FileMaker Advanced,
- custom menus, 421
 - debugging scripts, 271-274, 520-521
 - renaming files, 135-136
- FileMaker Advisor* magazine, 530
- FileMaker Business Alliance (FBA), 528
- FileMaker data sources, 16, 256
- FileMaker Developer custom functions, 240-241
- FileMaker Mobile, 452-453, 464
- adding fields to files, 457-458
 - calculation fields, 465
 - changed record conflicts, 461
 - Copy command, 465
 - date field properties, 458-459
 - date fields, 458
 - duplicating records, 465
 - entering data in List view, 462
 - field character limit, 55-56, 465
 - field limit, 465
 - field options, 465
 - field order, 461
 - field properties, 458-459
 - field types, 465
 - find limitation, 465
 - find symbols, 464
 - installing, 453-454
 - Layout mode, 465
 - multi-user files, 461
 - notes field, 458
 - Paste command, 465
 - preventing data changes, 463
 - record change conflicts, 461
 - related records, 464
 - relationships, 465
 - resizing columns, 461
 - run-time files, 465
 - scripts, 453, 459-460, 464, 465
 - sort limitation, 465
 - sync problems, 461
 - time fields, 458
 - Undo command, 465
 - vs. FileMaker Pro, 465
- FileMaker Mobile 7, 452, 465
- FileMaker Mobile.prc, installing, 453-454
- FileMaker Network Settings window, 348, 367

- FileMaker Pro,
 - activating, xxvii
 - Help, 203-204
 - opening, 4
 - program updates, 440
 - security, 402-403
 - sharing vs. network file sharing, 347
 - training, 529-530
 - vs. FileMaker Mobile, 464
 - vs. Microsoft Access, 2
- FileMaker Pro Advanced, 514
 - renaming files, 135-136
 - Show Window, 514
- FileMaker Pro file, export as, 442
- FileMaker Quick Start⁹, 5
- FileMaker Server, 352
 - and network problems, 116-117
 - and Today function, 340-341
 - backup features of, 434
 - sharing, 347
- FileMaker Server Advanced, 347, 352
 - encryption, 431
 - Instant Web Publishing, 378
- FileMaker Technical Network (FTN), 528
- files, 3, 6
 - backing up, 438-439
 - changing names of, 135-136
 - closing, 11
 - closing hosted, 355
 - combining, 518-519
 - compared to database, 6
 - consolidating, 518-519
 - corrupted, 436
 - creating, 31-33
 - damaged, 445
 - hiding, 94
 - importing a folder of, 395-398
 - improperly closed, 437
 - merging, 518-519
 - naming, 31
 - opening, 5
 - opening hidden, 94
 - privilege sets for, 402-403
 - quitting, 11
 - recovering, 445-446
 - renaming backup copies of, 136
 - saving, 10-11
 - themes, 167, 467
 - updating, 425-426
 - using with graphics tools, 309-310
 - won't close, 514
- Fill color palette, 36
- Fill palette, 36
- Fill Pattern palette, 36
- fills, adding to fields, 313
- filter scripts, 287
- filtered portal, 281
- financial functions, 226-227
- Find button, 23
- Find criteria, 43
 - in a script, 272
- Find Date Range layout, 344
- Find mode, 23
 - accessing field in, 113
 - entering data accidentally in, 158
 - switching layouts in, 154
- Find/Replace, 86-87
 - problems, 310
- Find requests, changing, 265
- Find script, 43-45
 - limitation, 157
 - unchecking Restore option in, 274
- Find Setup layout, 331
 - setting up, 331-337
- find symbols
 - duplicates, 148-149
 - exact match, 148
 - field content match, 150
 - greater than, 148
 - greater than or equal to, 148
 - in FileMaker Mobile, 465
 - in Instant Web Publishing, 372
 - invalid date or time, 149
 - less than, 147
 - less than or equal to, 148
 - literal text, 150
 - one character, 149-150
 - one digit, 150
 - pop-up list, 147
 - quotes, 150
 - range, 148
 - relaxed, 150
 - today's date, 149
 - zero or more characters, 150
- finding
 - @ symbol, 149-150
 - across multiple tables, 154
 - dates in number fields, 179
 - duplicate records, 148-149
 - duplicates in multiple fields using calculations, 149
 - e-mail addresses, 148
 - external functions in functions list, 240
 - for improper data, 149
 - Get functions, 253
 - in a portal, 115-116

- in FileMaker Mobile, 465
 - in related fields, 154
 - layout for a report, 331-337
 - multiple criteria for, 154
 - on unindexed fields, 187-188
 - records, 145-147
 - special characters, 187
 - symbols, 187
 - text in calculation field, 187
 - text in number field, 179, 187
 - times in number fields, 179
 - with scripts, 154-156
- finds,
- AND, 150, 163
 - and omit requests, 158
 - excluding data from, 157, 158
 - exclusive AND, 152
 - inclusive OR, 152
 - indexing a field to improve, 157
 - modifying, 145-147, 152-153
 - omitting records from, 158
 - OR, 151, 163
 - over a network, 115-116
 - performing in a portal, 115-116
 - performing on Boolean value, 194-195
 - relaxed, 150
 - slow in portal, 115-116
 - strategies with, 157
 - tricks for, 154
- Firefox, 380, 472
- firewall, 351, 493
- Fixed number of decimal digits option, 138
- flat file database, 91-92
- [fmiwp], 367, 368
- FMM, *see* FileMaker Mobile
- FMPTraining, 530
- FMPXMLRESULT, 469, 472
- FMWebschool's Blackbelt, 378
- fmxdbc, 383
- font,
- changing, 239
 - changing default, 48
- Font Color toolbar button, 36
- Font Size toolbar button, 36
- Font toolbar button, 36
- Footer layout part, 300
- in letters, 175
 - including in layout, 170
 - viewing, 71
- foreign key, 93, 123, 188
- indexing, 187-188
- Format as Boolean radio button, 195
- Format as option, 63-64
- format defaults, 307
- Format menu options
- Date, 63
 - Field/Control, Behavior, 113
 - Field/Control, Borders, 34, 313
 - Field/Control, Setup, 62
 - Font, 48
 - Number, 64, 138
 - Set Tooltip, 322
 - Sliding Printing, 251, 295
 - Text, 64
 - Time, 65
- Format Painter, 34-35, 307
- formatting,
- conditional, 323-325
 - date fields, 56
 - date fields on layouts, 63
 - dates in merge fields, 174
 - field as repeating field, 62-63
 - field on layout vs. rounding calculation, 194
 - field using Format as Boolean radio button, 195
 - fields in Japanese, 63
 - global fields, 60-61
 - graphic, 224
 - layout objects, 21-22
 - merge fields, 174
 - numbers as currency, 138
 - numbers in merge fields, 174
 - phone number, 215-216
 - repeating fields on layouts, 62-63, 223-226
 - times in merge fields, 174
- formatting text, 83
- and graphics, 311-312
 - on layouts, 64
 - with functions, 239-240
 - with scripts, 239-240
- Formula box, 191
- character limit in, 206, 214
- Formula result Type pop-up, 191
- formulas, calculation order of, 194
- Found Set,
- Constrain, 151-152
 - Extend, 152-153
 - Match all records in current, 253, 258
 - Replace, 154
- found set of records, 145
- four-digit years, 149
- frames, field, 295
- From Index, 75
- From Last Visited Record, 75-76
- Full Access privilege set, 405, 407

- full display toggle, 99
- full-width characters, 23
- function keys, 245
- function types
 - aggregate, 220-221
 - custom, 240-241
 - date, 216
 - design, 237-238
 - external, 238-239
 - financial, 226-227
 - Get, 236-237
 - logical, 228-236
 - number, 212
 - repeating, 223-226
 - status, *see* Get
 - summary, 221-223
 - text, 205-206
 - text formatting, 239-240
 - time, 216
 - timestamp, 240
 - trigonometric, 227-228
- functions, 204
 - Case, 214, 228-229
 - Count, 220
 - DateToText, *see* GetAsText(date)
 - Evaluate, 230-231
 - FieldNames, 237-238
 - FieldStyle, 237-238
 - Get(ActiveModifierKeys), 236, 267
 - Get(HostApplicationVersion)⁹, 237
 - Get(RecordNumber), 236-237
 - Get(TemporaryPath)⁹, 237
 - GetAsDate(text), 216
 - GetAsText(date), 202
 - GetLayoutObjectAttribute^{8.5}, 233-235, 319, 476, 482, 486
 - GetRepetition, 223-226
 - GetSummary, 222-223
 - If, 228-229
 - IsEmpty, 229, 253, 257, 267
 - LayoutObjectNames, 237
 - Left, 206
 - LeftWords, 207
 - Length, 207
 - Let, 231-233
 - List, 220
 - nested, 206-207
 - Pi, 228
 - PMT, 226-227
 - Position, 208
 - Self⁹, 235-236
 - TextToDate, *see* GetAsDate(text)
- Functions View pop-up, 191

- Furigana, 63, 113
- Furigana tab, 188

G

- General format, 56, 64, 193
- Get functions, 236-237, 253
- GetNextSerialValue, 449
- Get related record from pop-up, 256, 524
- Get(AccountName), 427
- Get(ActiveLayoutObjectName), 237
- Get(ActiveModifierKeys), 236, 267
- Get(AsBoolean), 228
- Get(CurrentDate), 336, 340-341
 - avoiding, 340
 - vs. Today function, 340-341
- Get(CurrentHostTimestamp), 57
- Get(FoundCount), 252-253
- Get(HostApplicationVersion)⁹, 237
- Get(LastError), 336
- Get(LastMessageChoice), 333
- Get(LastODBCError), 393-394
- Get(NthRecord), 228
- Get(PortalRowNumber), 111
- Get(PrivilegeSetName), 427
- Get(RecordNumber), 236-237
- Get(ScriptParameter), 282
- Get(SystemNICAddress), 237
- Get(TemporaryPath)⁹, 237
- Get(Username), 411
- Get(Window) functions, 279
- Get(WindowDesktopHeight), 237
- Get(WindowDesktopWidth), 237
- GetAsDate(text), 216
- GetAsText(date), 202
- GetAsURLEncoded, 208, 483
- GetLayoutObjectAttribute^{8.5}, 233-235, 319, 476, 482, 486
- GetRepetition, 223-226
- GetSummary, 222-223
- global field, *see* Global storage option
- Global Storage area, 185-186
- Global storage option, 60-61
 - and shared files, 353
 - calculation field, 192
 - changes on host, 353
 - contents as constant in calculation, 192
 - data type, 60
 - entering data in, 71
 - inability to index, 60
 - naming convention, 61
 - naming fields, 185-186, 223
 - passing values to guest users, 192
 - using, 60-61
 - values, 60

- values are local, 353
- Go Back, 485
- Go Forward, 485
- Google, 475
- Google Maps, 476, 478
- Go to Field script step, 273
- Go to next object using check box, 113
- Go to Portal Row script step, 266
- Go to Record script step, 70
- Go to Record/Request/Page script step, 70
- Go to Related Record script step, 252, 256-258, 518
- golden clone, 437
- grand summaries,
 - leading, 300
 - trailing, 300
- graph, 100, 127
 - organizing, 260, 342-343
 - legend, 342-343
- graphics,
 - adding to layout, 311-312
 - and file size, 310, 312
 - formatting on a layout, 224, 311-312
 - maintaining original proportions, 312
- greater than, 148, 196
- greater than or equal to, 148, 196
- Group toolbar button, 36
- grouped layout objects, 306-307
 - selecting, 307-308
- grouping portals and fields, 310
- groups, script, 285-287
- groups, *see* privilege sets
- guest,
 - asking to close shared files, 355
 - file sharing as, 349-350
- Guest account, 403-405
- Instant Web Publishing, 420

H

- hackers, 367, 375, 378-379
- Halt Script step, 249
 - as debugging tool, 271-272
 - vs. Exit Script step, 250
- hand cursor over button, 45, 275
- Handspring Visor, 454
- hard drive,
 - defragmenting, 440
 - reformatting, 440
- Header and Footer Information window,
 - Layout Assistant, 170
- Header layout part, 298
 - in letters, 175
 - including in layout, 170
 - viewing, 71

- Help files, 203-204
- Help menu, xxvii
- Help toolbar button, 36
- Help, Instant Web Publishing, 372
- hidden records, 145
- hidden windows, 112
- hiding
 - files, 94
 - important field, 311
 - layouts, 165
 - Status area, 378
 - toolbars, 37
 - windows, 94
- highlighting, 83
 - contents of field using calculations, 224
- Home screen, 304
- horizontal toolbar, 37
- host, file sharing as, 349
- hosted files, closing, 355
- Hosts button, *see* Remote button
- HotSync, 454
- HTML, 468
 - exporting XML as, 469-472
- HTTP request, 470

I

- icons, 309-310
- iDisk as backup program, 434
- If function, 228-229
 - nested limit in, 229
- If script step, 249
 - as debugging tool, 272
 - conditional script, 156
- If statements, nested, 229
- images in calculation fields, 58
- Import Field Mapping window, 391-392, 396-397, 447
- Import only a reference to each picture file
 - radio button, 396
- Import Table, 130-131
- imported scripts, 274-275
- importing
 - a folder of files, 395-398
 - data, 447-448
 - data into a clone, 448
 - dates, 149
 - from digital camera, 58, 395-398
 - into External SQL Source tables, 501
 - multiple sources in a script, 448-449
 - scripts, 53, 274-278
 - validated data, 182-183
 - XML, 473
- improperly closed files, 437
- In Range check box, 184

- In range validation, 184
- Include Grand Totals check box, Layout Assistant, 168
- Include in layouts menu check box, 165
- Include Subtotals check box, Layout Assistant, 168
- inclusive OR, 152
- incorrect data, 149
 - converted from another file type, 149
 - in scripts, 272
- Increase Font Size toolbar button, 36
- increment by check box for auto-entered serial numbers, 179
- indenting text on layouts, 64
- indexing, 187-188
 - e-mail addresses, 148
 - field by non-English language to improve find, 157
 - fields, 141, 187
 - foreign key, 187-188
 - globally stored fields, 60
 - portal, 115-116
 - related records, 341
 - special characters, 187
 - speed of, 187-188
 - turning off, 187-188
- Indexing area, 187-188
- Indicate web compatibility check box, 370
- Info, Object Info palette, 38-39, 233-234, 266, 318-320, 482
- Insert Field toolbar button, 36
- Insert into SQL Query button, 390, 391
- Insert menu options
 - Current Date, 75
 - Current Time, 75
 - Current User Name, 75
 - File, 311
 - From Index, 75
 - From Last Visited Record, 75-76
 - Object (Windows), 311
 - Part, 298, 301
 - Picture, 311
 - Portal, 107
 - QuickTime, 81, 311
 - Record Number Symbol, 236
 - Sound, 311
- Insert, Picture, 82, 311
 - Store only a reference to the file option, 82
- Insert Part toolbar button, 36
- Insert, QuickTime, 81
- Insert script step,
 - needs target field on layout, 310
 - problem, 310
- Insert Text script step, requires target field on layout, 154-155
- inserting
 - merge field, 174
 - movies, 81-82
 - pictures, 82-83, 311
 - sound, 83, 311
- Instant Web Publishing, 361, 368, 371
 - access log file, 378-379
 - browser interface, 371-375
 - browsers, 368-369
 - buttons, 369-370
 - extended privileges, 368
 - features, 372
 - find symbols in, 372
 - Help, 372
 - layouts, 369-371
 - Log Out button, 366, 373
 - monitor size, 374
 - portals, 371
 - round-cornered layout objects, 370
 - router, 362
 - security, 375
 - setting up computer, 361-364
 - setting up database, 368
 - setting up FileMaker Pro, 365
 - settings, 365-366
 - sharing limits, 378
 - Status area, 378
 - window, 365
- integrating commercial files into your solution, 52
- Intel-based Macintosh, xxvi
- interest, calculating, 267-268
- interface design, 303-304
- Internet Explorer, 472
- Internet service provider, 362
- invalid date or time find symbol, 149
- invalid relationships, 95, 126, 127, 188
- invalidating a relationship, 188
- Invoice layout, 137-138
- invoices,
 - adding interest item, 267-268
 - overdue, 341
 - printing, 264
- invoicing system, 128
 - ER diagram of, 128-129
- IP addresses,
 - static, 361
 - web sharing, 376
- IsEmpty function, 229, 253, 257, 267
- Italic toolbar button, 36
- IWP, *see* Instant Web Publishing

J

Japanese characters, 63, 113, 188
 join between tables in SQL, 390-391
 join relationship, *see* self-join relationship
 join table, 123-124
 JPG images and web sharing, 369

K

Keep/Replace window, 45
 key,
 compound, 200
 foreign, 93, 123, 187-188
 multi-valued, 122
 ODBC, 496
 primary, 93, 96, 122
 unique, 96, 141
 key field, 95-96, 128, 141, 519
 as calculation, 187
 auto-entered text as, 179
 naming, 519
 serial number as, 179
 keyboard commands, xxvii
 to change modes, 20
 keyboard shortcuts, xxvii
 assigning to a script, 245
 keywords, SQL, 54

L

labels, 173-174
 and calculation trick, 174
 blank lines, 174
 editing data in, 174
 editing field choices for, 174
 editing layouts in, 174
 merge fields and, 174
 multiple-column, 299
 vertical, 23, 174
 Labels layout, 23, 173-174
 languages list, 157
 large reports slow on network, 355
 Lasso, 371, 431
 layout access, controlling, 428
 Layout area, 414
 Layout Assistant, 22, 164
 Choose Report Layout window, 168
 choosing summary fields, 169
 default style, 167
 Header and Footer Information window, 170
 New Layout/Report window, 164-165
 Organize Records by Category window, 168
 Select a Theme window, 166-167
 Sort Records window, 24, 168

Specify Fields window, 165-166
 Specify Grand Totals window, 169-170
 Specify Label Contents window, 173-174
 Specify Subtotals window, 169
 summarizing by fields, 168
 Layout list, 20, 248, 428
 Layout mode, 20-23, 164
 FileMaker Mobile, 465
 Spell Checker, Visual, 84
 spell checking in, 84
 toolbars in, 36
 layout objects, 35
 aligning, 39-40
 as buttons, 71
 autoresizing, 319-320
 changing colors of, 314
 constraining, 37
 copying, 22
 deselecting from group, 306
 duplicating, 35
 formatting, 22
 GetLayoutObjectAttribute, 233-235, 319, 476, 482, 486
 grouped, 305
 locking, 40-41, 310
 matching styles of multiple, 167
 moving, 21-22
 moving layout parts through, 161
 moving stacked, 308
 non-printing, 251, 295-296
 pasting, 22
 preventing changes to, 40-41
 printing, 295
 reformatting selected, 306-307
 rotating, 309
 selecting default style, 167
 selecting group, 307-308
 selecting multiple, 34
 shaping, 21
 shrinking, 21
 sliding, 295, 296-297
 stretching, 21
 Web Viewer, 475
 LayoutObjectNames function, 237
 layout part tabs, 166, 171
 flipping, 171
 toggling, 171, 298
 layout parts, 297-300
 adding, 301
 changing colors, 166-167
 creating, 301
 deleting, 112, 301
 inserting, 301

- locking, 300
- modifying, 301
- moving, 161
- moving through layout objects, 161
- order, 300
- working with, 300-301
- layout privileges, 413-416
- Layout, Revert Layout option, 73
- layout tabs, *see* layout part tabs
- Layout toolbars, 37
- layout tools, 36
- layouts, 9, 290
 - Access Denied, 426
 - adding graphics to, 311-312
 - adding merge fields to, 174
 - adding movies to, 311-312
 - aligning text, 64
 - borders, 264
 - changing defaults for, 48
 - changing fields on, 21
 - changing size of part, 65
 - contrast, 291
 - copying, 27
 - creating, 164-175
 - data entry vs. printing, 291
 - diagram, 30
 - displaying related data, 19
 - duplicating, 27
 - easy-to-read, 291
 - elements from other files, 53
 - exporting fields using current, 441
 - field formats, 63-65
 - find date range, 331-332, 344
 - formatting fields on, 63-65
 - formatting graphics on, 311-312
 - formatting text on, 64
 - hiding, 165
 - Instant Web Publishing, 369-371
 - Invoice, 137-138
 - names and web sharing, 371
 - not printing background color, 296
 - order of, 428
 - order of shared files, 351
 - organizing, 517
 - positioning summary field on, 59
 - printing problem, 310
 - protecting related data, 19
 - repeating fields on, 186
 - saving changes to, 21
 - setting order on, 428
 - setting tabs on, 72-74
 - switching between, 21
 - themes, 166-167
 - type list, 165
 - types of, 22-23, 291-297
 - using Format Painter with, 307
 - using vertical lines, 301
- Layouts access options, 413-416
- Layouts menu options
 - Layout Setup, 117
 - New Layout/Report, 22, 164
 - Part Setup, 300
 - Set Layout Order, 428
 - Set Tab Order, 72
- Leading Grand Summaries layout part, 300
- viewing, 71
- Leading Sub-summaries layout part, 299-300
- leading zeros, 55
- Learn More, 203
- learning center, xxvi, 204
- Left function, 206
- LeftWords function, 207
- legend, 342-343
- Length function, 207
- length of field names, 54
- length of text constants, 200
- less than, 147, 196
- less than or equal to, 148, 196-197
- Let function, 231-233
- LI (line items), 123
- limited number of guests, 352
- limits of standard file sharing, 347
- Line drawing tool, 37
- line items, abbreviating, 123
- line spacing of text on layouts, 64
- Line tool, 36
- Line tool toolbar button, 36
- Line width palette, 34, 36
- lines across layout parts, 301
- link table, 123-124
- List function, 220
- List view vs. Table view, 297
- literal text find symbol, 150
- local host, loopback, 376
- location of new files, 7
- Lock toolbar button, 36
- locked
 - fields, 71
 - layout objects, 40, 310
 - layout parts, 300
 - portal records, 273
- locking
 - layout objects, 40-41, 310
 - portals, 310
 - tools, 37
 - yourself out of a file, 27

- lockup, network, 355
- Log Out button, 366, 373
- logical functions, 228-236
- logical operators, 197
- Looked-up value check box, 181-182
- looked-up value vs. calculated value, 181
- Lookup window, 136-137
- lookups, 19
 - for phone area code, 181
 - for zip code database, 181
 - preventing slow finds in portals, 115-116
 - when to use, 136
- loop,
 - exiting, 267
 - problems, 267
- Loop script step, 249
- loopback machine number, 376

M

- Mac OS 9 and FileMaker 8, 361
- Mac OS X, *see* OS X
- machine number, loopback, 376
- macro, 244
- magnification, 102-103
- MailIT email plug-in, 515
- Main Menu, 304
 - button placement, 306
 - layout, 250-251
 - standard button placement, 251
- maintaining original proportions of graphics, 312
- maintenance procedures, 440
- Manage Accounts & Privileges window, 26, 403
- Manage Database toolbar button, 36
- Manage Database window, 13, 504
 - Fields tab, 14-16
 - Relationships tab, 16-19
 - Tables tab, 14
- Manage extended privileges option, 420
- Manage External Data Sources window, 135, 492, 494, 504, 510
- Manage Fields window, *see* Manage Database window, Fields tab
- Manage Relationships window, *see* Manage Database window, Relationships tab
- Manage Scripts window, 25, 285
- Manage Value Lists option, 77, 106
- Manage Value Lists toolbar button, 36
- Manage Value Lists window, 139
- managing
 - relationships, 19
 - tables, 93-94
- many-to-many relationship, 122-123

- many-to-one relationship, 121-122
- MapQuest, 475
- Maps, Google, 476, 478
- master password, limiting access, 431
- master table, 104, 118-119
- Match all records in current found set, 253, 258
- match field, *see* key field
- mathematical accuracy, 56
- mathematical operators, 191-192
 - addition, 192
 - division, 193
 - multiplication, 193
 - power of, 193-194
 - precedence, 194
 - subtraction, 193
- Max function, 220
- Maximum number of characters check box, 185
- measurement, changing unit of, 39
- Member of Value List check box, 184
- menus, 13
 - changing depending on mode, 24
 - context, 24-25
 - control of, 514
 - limiting, 420
- merge, e-mail, 516
- merge characters, 173
- merge fields, 174
 - adding to a layout, 174
 - editing appearance of data in, 174
 - editing problem, 174
 - for labels, 174
 - formatting data in, 174
 - modifying, 174
- merge file and field format, 447
- merge files, 442
- merging files, 518-519
- metadata, digital camera, 397
- MetadataMagic, 510
- Microsoft Access vs. FileMaker Pro, 2
- Microsoft Excel,
 - importing data with, 394-395, 466
 - Save/Send Records As, 69-70, 355-357
- Microsoft Word, 468
- MiddleWords parameter template, 211
- military time, 56
- Min function, 220
- mini Web Viewer, 483
- missing entries from
 - drop-down/pop-up lists, 141
 - value lists, 141
- Mode pop-up menu, 20

- modes, 20
 - Browse, 20
 - changing, 20
 - Find, 23
 - Layout, 20-23
 - Preview, 23
 - Modification check box, 179
 - modification of data, tracking, 179
 - modifying a theme, 166
 - money, formatting numbers as, 138
 - monitor size, Instant Web Publishing, 374
 - Monroe, Jonathan, 492
 - mortgage, calculating, 226-227
 - movies,
 - adding to layout, 311-312
 - in container fields, 57
 - inserting, 81-82
 - moving, *see also* navigating
 - between fields, 8
 - data using clipping files (Macintosh), 77
 - data with drag-and-drop, 76-77
 - layout objects with the arrow keys, 35
 - layout parts, 161
 - layout parts through layout objects, 161
 - stacked layout objects, 311
 - multi-column labels, 299
 - multi-file scripts, 255
 - multimedia presentations in container fields, 81
 - multiple file system, 114
 - multiple levels of Undo/Redo®, 88
 - multiple records, omitting, 158
 - multiple tables per file, 14, 92-93
 - multiple validations, 182
 - multiple-criteria relationships, 125-126
 - multiplication operator, 193
 - multi-user files, FileMaker Mobile, 461
 - multi-valued key, 122
 - music in container fields, 57
 - MySQL Mini Edition 5.0, 493
- N**
- named ranges, importing in Microsoft Excel, 394
 - naming
 - conventions, 61, 519-521
 - fields, 519
 - key fields, 519
 - relationships, 519
 - scripts, 520-521
 - table occurrences, 125, 135
 - tables, 135
 - navigating, *see also* moving
 - between records, 8-9
 - with buttons, 304
 - nested functions, 206-207
 - limits, 206-207
 - network
 - adapter (Windows), 348
 - and related files, 135
 - crash, 355
 - file sharing vs. FileMaker Pro sharing, 347
 - lookup, 355
 - problems and FileMaker Server, 115-116
 - traffic, 353
 - New account, 405-406
 - New Database toolbar button, 36
 - New Database window, 31
 - New Layout/Report toolbar button, 36
 - New Layout/Report window, using, 164-165
 - see also* Layout Assistant
 - New Privilege Set option, 406
 - new records,
 - and semi-sorted status, 68
 - creating, 8, 67-70
 - go to end of table, 68
 - New Window script step, 278-280
 - No records match this set of find requests
 - message, 46, 145
 - nodes, 100
 - non-numeric characters in number fields, 56
 - non-printing objects, 295-296
 - showing, 308-309
 - NOT, 199
 - Not Empty validation option, 183
 - not equal to operator, 196
 - NOT logical operator, 199
 - notes field, FileMaker Mobile, 459
 - NT Scheduler as backup program, 434
 - null value, 195
 - inconsistency in evaluating, 195
 - number fields, 55-56
 - accuracy of, 56
 - alpha characters in, 56, 150
 - extra zeros in, 55
 - finding dates in, 179
 - finding times in, 179
 - finds in, 46
 - formatting, 64
 - global storage, 192
 - non-numeric characters in, 55
 - number limit in, 55
 - scientific notation in, 56
 - size limit of, 55-56
 - special characters in, 150
 - special situations with, 46-47
 - text in, 187

- understanding, 46-47
- Number Format window, 64, 138
- number functions, 212
- numbering
 - scripts, 520-521
- numberOfCharacters, 206
- numberOfWords, 207
- numbers,
 - formatting in merge fields, 174
 - formatting phone numbers, 46
 - formatting with the General format, 56, 193
 - in text fields, 55
- Numeric Only validation, 183
-
- Object, GetLayoutObjectAttribute, 233-235, 319, 476, 482, 486
- Object Effects palette, 166, 313
- Object Grids option, 37-38
- Object option (Windows), 311
- Object Info palette, 38-39, 233-234, 266, 318-320, 482
- Object Name field, 39, 233, 318, 322
- objects,
 - adding effects to, 313
 - extending off the layout, 294
 - locking, 40-41
 - positioning, 37-38
- ODBC, 135, 382
 - and field names, 54
 - data sources, 385-387, 388-389
 - drivers, 501
 - import script, 392-393
 - importing in, 389-392
 - query construction, 393
 - sharing, 382-383
 - SQL queries, 389-392
 - vs. XML, 466
- ODBC Administrator, 382, 385-386
- ODBC data source,
 - Add, 143
 - radio button, 494
 - setting up (Mac), 385-387
 - setting up (Windows), 388-389
 - table occurrences in the graph, 496-498
- ODBC Data Source Administrator window, 388
- ODBC Data Source option, 389
- ODBC/JDBC Sharing Settings window, 384
- OLE objects, 53
- Omit check box, 158
- omit requests, 158
 - and find order, 158

- omitting fields from tab order, 73
- omitting records, 158-159
 - as part of a find request, 158
 - from a find, 158
 - from portal during find, 159
 - in FileMaker Mobile, 464, 465
 - with scripts, 159
- one table per file, 92
- one-character find symbol, 149-150
- one-digit find symbol, 150
- one-record table, 276, 444
- one-to-many relationship, 104, 121-122
- one-to-one relationship, 122
- open database, 52
- Open Database Connectivity, *see* ODBC
- open hidden, 94
- Open Record/Request script step, 273
- Open Remote File window, 349-350, 425
- Open toolbar button, 36
- opening
 - Edit Relationship dialog, 127
 - file, 5
 - FileMaker Pro, 4
 - Operator box, 127
 - XML, 473
- Operator box, 99
 - opening, 127
- operators,
 - comparison, 194-197
 - logical, 197-199
 - mathematical, 191-194
 - text, 199-201
- Operators buttons, 191
- Optional script parameter check box, 45
- Options
 - area, 249
 - button, 15
 - column, 15
- Options for Field window, 178
 - Auto-Enter tab, 179-182
 - Furigana tab, 188
 - Storage tab, 185-188
 - Validation tab, 182-185
- Options for Summary Field window, 59
- OR find, 151, 163
- OR logical operator, 198
- Oracle 9g, 493
- Oracle 10g, 493
- ORDER BY tab, 391
- order of
 - fields in Layout Assistant, 292
 - find requests, 159

Organize Records by Category window,
 Layout Assistant, 168, 329
 OS X, xxvii-xxviii
 and Web Viewer, 481, 491
 limitations, xxvii-xxviii
 repair disk permissions, 440
 setting up for Instant Web Publishing,
 362-363
 support, xxvii-xxviii
 Other Color option, 314
 Other Privileges area, 420-421
 Oval (or Ellipse) drawing tool, 37
 Oval (or Ellipse) toolbar button, 36
 overdue invoices, 341
 overlapping fields and tab order, 74
 override validation warning, 182-183
 overriding text formatting, 83

P

Page break after every x occurrence check
 box, 172
 page break options, 172
 Page Guides On/Off tool, 103
 Page Setup (Macintosh), *see* Print Setup
 Page Setup tool, 103
 PageMaker, 468
 palette, Object Info, 38-39, 233-234, 266,
 318-320, 482
 palette, size, *see* Object Info palette
 Palm operating system (Palm OS), 454
 case-sensitive passwords, 454
 connecting to PC, 455
 parameter, break field, 223
 parameter separator, 205
 parameter template, 205
 replacing, 210
 parameters, 281
 script, 281
 parent table, 104, 118-119
 parentheses, 194
 parsing, 283
 Part Definition window, 298
 Part label control, 171, 298
 Part Setup window, 300
 Part tool, 36, 301
 passwords, 25, 368
 accessing file using non-default, 432
 and ODBC, 383
 bypassing default, 432
 case sensitive, 425
 changing, 424
 choosing, 405-406
 converting, 510
 default, 432

keeping track of, 425-426
 limiting access without typing, 432
 locking yourself out of a file, 27
 not required, 432
 protecting shared files with, 368
 protecting web shared files with, 375-376
 protection, 376
 Paste command, 76
 FileMaker Mobile, 465
 limits of depending on field type, 76
 Paste script step,
 needs target field on layout, 310
 problem, 310
 Paste toolbar button, 36
 paths, 100, 127
 Pattern palette, 34, 36
 Pause Script step as debugging tool, 272
 PC, connecting to Palm device, 455
 PC Backup, 434
 PDA, 452
 calendar, 463-464
 syncing, 455
 PDF,
 Append to®, 270
 poor quality, 270
 Save As, 69
 Save Records As, 269
 PDF files, 57, 81
 and Web Viewer, 481, 491
 Pen color palette, 36
 Pen palette, 36
 Pencil icon, 101
 percent sign, displaying, 227
 percentages as decimal numbers, 227
 Perform Script step, 247
 Perform without dialog option, 272-273
 Sort script step, 160
 performance considerations, 115-116
 performing
 a find in a portal, 115-116
 a find in repeating fields, 186
 a find on Boolean value, 195
 other scripts from a script, 247
 scripts in other files, 247
 personal digital assistant, *see* PDA
 personal file sharing limitations, 352-353
 phone numbers,
 area code lookups, 181
 dialing, 514-515
 format of, 215-216
 in text fields, 46
 PHP, 377, 421
 Pi function, 228

- picture formats, 82
- pictures,
 - importing reference to, 396-397
 - in calculation fields, 58
 - in container fields, 57
 - inserting, 82-83
- pipeline calculations, 261
- pipeline data, 509
- pixels, 37
- playing QuickTime movies, 81
- plug-ins, 239
 - MailIT, email, 515
- PM in time fields, 56
- PMT function, 226-227
- Pocket PC, 452
- population spread, *see* VarianceP function
- pop-up list, 77
 - missing entries in, 141
 - vs. pop-up menu, 184
- pop-up menu, 77 *see also* drop-down menu
 - tabbing into (Macintosh), 184
 - vs. pop-up list, 184
- port
 - 80, 367
 - 591, 367
 - 1433, 387, 493
 - 2399, 387, 493
 - 5003, 348, 362
 - number in TCP/IP, 367
 - web server, 367
- portable portals, 260-262
- portal pop, 117
- portal row,
 - counting, 111
 - duplicating records in, 110-111
 - problems with, 98, 108-109, 310
 - showing, 108-109
- Portal Setup window, 107, 261
- Portal tool, 36, 107
- Portal tool behavior, 110
- Portal tool toolbar button, 36
- portals, 103, 260
 - adding data to, 109
 - allowing deletion of records from, 107
 - and web sharing, 371
 - choosing proper fields for, 108
 - creating, 107
 - deleting a record from, 116-117
 - drawing, 107-108
 - fields, 261-262
 - fields not needed in, 108
 - filter, 125, 281
 - finding over a network, 115-116
 - indexing fields in, 115-116
 - initial row, 266
 - Instant Web Publishing, 371
 - locking, 310
 - placing fields in, 108-109
 - portable, 260-262
 - problems with, 98, 108-109, 449
 - scripting, 266
 - scrolling in, 111
 - slow finds in, 115-116
 - sorting, 105, 111-112, 262
 - using Tab key in, 111
- Position function, 208
- power of operator, 193-194
- precedence operator, 194
- Preferences, FileMaker, 4, 21, 75, 239, 411
- preventing data changes in FileMaker Mobile, 463
- preventing users from creating databases, 516
- Preview mode, 23, 295
 - and sub-summaries, 299
 - buttons in, 296
 - Records menu in, 24
- preview printout, 295
- primary key, 95, 122
- primary key missing, 499
- print preview, 295
- Print script step, testing, 264
- Print Setup, 264
- Print to PDF, 268-269
- Print toolbar button, 36
- printers, 264
- printing
 - and printers, 264
 - layout colors, 296
 - layout part colors, 296
 - layout vs. data entry layouts, 291, 295
 - problem, 310
 - scripts, 272
 - sub-summaries, 299
- privilege sets, 402-403, 406-407, 428-430 *see also* access privileges
 - converting groups to, 431
 - default, 406-407
 - extended, 421-423
- privilege sets
 - Data Entry Only, 405
 - Full Access, 405, 407
 - Read-Only Access, 407
- Privilege Sets tab, 407-408
- problems
 - allow creation of related records, 127

- alpha characters in number fields, 150
- behavior of portal, 110
- calculation results, 202
- can't enter data, 71
- can't enter data in a portal, 98
- can't see Current record bar, 69
- can't see sub-summary parts, 161
- changing names of related files, 135
- changing password privileges, 424
- circular file opening, 514
- circular relationship, 128
- Copy script step, 310
- create parent from child, 105
- damaged file, 445
- data in portal, 98, 449
- dates, 183
- dates and scripts, 216
- decimal number in Next Value field, 179
- defining database remotely, 353, 359
- deleting a script step, 43
- deleting related records, 105
- displaying related data on a layout, 19
- drawing portals, 107-108
- empty relationship graph, 260
- entering data when in Find mode, 158
- entering incorrect data with scripts, 149
- Ethernet, 514
- experimenting with scripts, 246
- exporting, 441-442
- field access privileges, 426
- fields won't slide, 297
- file is damaged, 445
- file names, 135-136
- file not created by FileMaker, 445
- file sharing and hackers, 351
- file sharing remote host, 347
- file won't close, 514
- filtering portals, 125
- find text in calculation field, 187
- find text in number field, 179, 187
- Find/Replace, 310
- finding dates, 149
- Go to Portal Row script step, 266
- importing dates, 149
- importing found sets, 448
- importing incorrect data, 149
- incorrect data by converting another file type, 149
- incorrect data entry, 185
- Insert script step, 310
- Instant Web Publishing Log Out button, 366, 373
- Instant Web Publishing monitor size, 374
- invalidating a relationship, 188
- layout object won't print, 310
- layout objects on tab control, 315
- layout part won't move, 161
- layout won't print, 310
- locked records, 273
- long recalculations in large files, 205
- loop, 267
- many-to-many relationships, 122-123
- merge fields, editable, 174
- multiple fields and Field Format window, 307
- multiple windows, 280
- multiple windows and modes, 251
- network and reports, 115-116
- network, Ethernet, 514
- network performance, 353
- New Window offscreen, 279-280
- Paste script step, 310
- placement of portal fields, 108-109
- portal row, 310
- portal slow find, 115
- portals, 98, 108-109, 449
- printing envelopes, 175
- record-level security, 411-412
- related data, invalid relationship, 188
- related files and network, 135-136
- relationship names, 127-128
- relationships, 187
- remote host, 353
- Replace script step, 310
- report doesn't look right, 335
- script and key field, 515
- script not finding properly, 268
- scripting portals, 266
- scripts list, 419
- scripts privileges, 419
- sharing turns off automatically, 355
- Show Custom Dialog script step, 277-278
- special characters in number fields, 150
- standard validation warning window, 185
- Strict data type validation, 183
- sub-summary, 299-300, 335
- sync with Palm OS, 455
- syncing to FileMaker Mobile, 461
- syncing with multi-user files, 461
- Table view, fields don't show, 297
- tape backups, 435-436
- text in number field, 179
- text range, 184
- toolbars won't work, 37
- unable to read disk, 445
- unindexed fields in relationships, 188

- using calculation field as key, 187
- validation loop, 185
- value lists, 416-417
- web buttons, Instant Web Publishing, 369-370
- web sharing, 378-379
- wrong file opening, 135-136
- Product Documentation, 204
- product number, formatting as text, 131
- professional web hosting, 379
- program, 4
- program updates, FileMaker Pro, 440
- Prohibit modification of value during data entry check box, 182
- prohibiting modification of field, advantages of, 189
- protecting
 - fields, 112-113
 - important field, 310
 - shared files, 351-352

Q

- query, constructing SQL, 389-392
- Quick Find, 153
- Quick Start⁹, FileMaker, 5
- QuickTime movies in container fields, 57, 81-82
- quitting FileMaker Pro program (Macintosh), 11
- quotes find symbol, 150
- quotes in calculations, 235

R

- radio buttons, 77
- RAM disk, 354
- range find symbol, 148
- Read-Only Access privilege set, 407
- ready-made solutions, 52
- Recent Files toolbar button, 36
- record change conflicts, FileMaker Mobile, 461
- record locking and New Window, 280
- record locking, External SQL Source, 500
- record privileges, 409-411
- record-saving, automatic, 516-517
- recording sound, 83
- record-level security, 411-412
- records, 8
 - adding data to, 71-74
 - allowing creation of, 135
 - auto-entering, 179-182
 - creating, 8, 67-70
 - deleting, 88-89, 105, 116-117

- duplicating, 67, 88, 110-111
- finding, 145-147
- found set, 145
- hidden, 145
- hidden from the current found set, 145
- multiple in report, 328
- navigating between, 8-9
- omitted, 145
- omitted from the current found set, 145
- omitting, 158-159
- preventing changes to specific, 428
- saving changes automatically, 295
- selecting, 68-69
- sorting, 105-106, 159-163
- spell checking, 84
- updating matching, 398-399
- Records access options, 409-411
- Records menu
 - in Browse mode, 24
 - in Preview mode, 24
- Records menu options
 - Delete All Records, 88-89
 - Delete Record, 88, 116
 - Duplicate Record, 67, 88, 110
 - Modify Last Find, 146
 - New Record, 8
 - Omit Multiple, 158
 - Omit Record, 158
 - Relookup Field Contents, 181
 - Revert, 89
 - Sort Records, 24, 160
- Records via this layout area, 414
- Recover command, 445
- recovered files, naming, 447-448
- Rectangle drawing tool, 37
- Rectangle toolbar button, 36
- Redo, multiple levels of⁹, 88
- reducing the size of enclosing part, 297
- referential integrity, 105
- Refind, 146
- reformatting
 - fields and value lists, 306-307
 - hard drive, 440
 - layout objects, 306-307
- Refresh Window [Bring to Front], *see* Select Window script step
- registering FileMaker, 5
- regular carriage return, 201
- related fields, 18, 19
 - finding in, 154
 - in a portal vs. repeating fields, 186
- related records,
 - allowing creation of, 103-104

- allowing deletion of, 105
- automatically creating, 103-104
- counting, 111
- in FileMaker Mobile, 464
- indexing, 341
- Match all records in current found set, 253, 258
- sorting, 105-106
- related tables, 104, 118-119
 - and networks, 135-136
 - changing names of, 135-136
 - keeping in the same folder, 135-136
- relational database, 92-93
 - system, 3
- relationship indicator, 100
- relationship tools, 99-100
- relationship types
 - equal, 99
 - many-to-many, 122-123
 - many-to-one, 121-122
 - multiple-criteria, 125-126
 - one-to-many, 121-122
 - one-to-one, 122
 - self-join, 124-125
 - self-referencing, 124-125
 - unequal, 126
- relationships, 3
 - creating, 97-98
 - defining, 16-19
 - editing, 127, 134
 - FileMaker Mobile, 465
 - invalid, 95, 126, 127, 188
 - naming, 18, 188, 519
 - opening, 127, 134
 - pop-up list, 191
 - renaming problems, 127-128
 - selecting multiple, 513
 - understanding to avoid data problems, 127-128
 - unequal, 126
 - unindexed field in, 188
 - unique, 95, 122-123, 127
- relationships graph, 122, 127
- Relationships tab, 16-19, 99-100
- relaxed search, 150
- Reload, 485
- relookup, 181-182
- Relookup command, cannot undo, 182
- Remote button, 349
- remote host, 349
 - caution, 349, 351-352
 - file sharing as, 349
 - network traffic with, 353
 - problem, 353
- renaming
 - backup copies of files, 136
 - field, 93
 - files, 135-136
 - relationships to avoid problems, 127-128
- Reorder sort based on summary field check box, 161
- repair disk permissions, 440
- repeating fields, 62, 186
 - formatting, 223-226
 - formatting fields as, 62-63
 - on layouts, 186
 - options, 186
 - repetitions, 62, 186
 - vs. related fields in a portal, 186
- repeating functions, 223-226
- Replace command, 85
- Replace script step,
 - needs target field on layout, 310
 - problem, 310
 - using to bypass Today function, 341-342
- Replace window, 85
- Replace with Calculated Result radio button, 85, 191
- replacing value with calculated value, 216
- report, date range, 328-337
- report files, ER diagram of, 128
- Report with grouped data radio button, 168
- reporting, 93, 124
- reports, 326
 - creating, 164-175, 328
 - creating script for, 170
 - designing, 326-327
 - examples of, 328-343
 - over a network, 115-116
 - problems, 335
 - questions about creating, 328
 - types of, 327-328
- Requests, Add New Request, 151
- Reset, 485
- Resize, *see* Autoresize Layout Objects
- Resize To,
 - Largest Height, 40
 - Largest Width, 40
 - Largest Width & Height, 40
 - Smallest Height, 40
 - Smallest Width, 40
 - Smallest Width & Height, 40
- resizing
 - buttons, 45
 - columns in FileMaker Mobile, 461
 - columns in tables, 173

- layout objects, 39
- table occurrence, 100
- toolbars, 37
- Restart page numbers after each occurrence check box, 172
- Restore option for Find script step, 155, 274
- restricting access by IP address, 376
- Result option, Exit Script step, 250
- Retrospect as backup program, 434
- Return key, go to next field using, 174
- Return marker text operator, 200-201
- returns in a calculation, 58
- reveal triangle, 284
- Revert command, 87
 - limitations of, 89
- Revert Layout, 73
- Revert Layout toolbar button, 36
- reverting tab order, 73, 89
- RGB color, 265
- Rotate Object toolbar button, 36
- rotating
 - field labels, 137-138
 - layout objects, 309
- round-cornered layout objects, Instant Web Publishing, 370
- Rounded Rectangle drawing tool, 37
- Rounded Rectangle toolbar button, 36
- rounding calculation vs. formatting field on layout, 194
- router,
 - address, 362
 - Instant Web Publishing, 362
 - security, 351
- Run script with full access privileges check box, 277
- Running total check box, 59-60
- run-time files, FileMaker Mobile, 465

S

- Safari, 472
- Sample Data option, 21
- Save a Copy As window, 438
- Save layout changes automatically check box, 21
- Save Layout toolbar button, 36
- Save record changes automatically check box, 295
- Save/Send Records As PDF, 69, 268
- Save/Send Records As Excel, 69-70, 355-357
- saving your work, 10
- scientific notation in number fields, 56
- screen scraping, 486
- script,
 - Delete Record, 42-43

- Find, 43-45
- New Record, 41-42
- separator, 286
- XML Export, 470-471
- script groups⁹, 285-287, 418
- script names, 170
- script options, 45, 246, 249
- script organizing, 284-285
- script parameters, 281
- script privileges, 418-420
- script step
 - Allow User Abort [Off], 266
 - Comment, 155, 253
 - Commit Records/Requests, 273
 - Else If, 263
 - End If, 249
 - End Loop, 249
 - Execute SQL, 393-394
 - Exit Record/Request, *see* Commit Records/Requests
 - Exit Script, 249, 250
 - Find [Restore], 157
 - Go to Field, 273
 - Go to Portal Row, 266
 - Go to Record, 70
 - Go to Record/Request/Page, 70
 - Go to Related Record, 252, 518
 - Halt Script, 24, 250
 - If, 155-156, 249
 - Insert Text, 154-155
 - Loop, 249
 - Open File, 350
 - Open Record/Request, 273
 - Perform Find, 274
 - Perform Find/Replace, 86
 - Print Setup, 264
 - Set Field, 265
 - Set Multi-User [Off], 352
 - Show Custom Dialog, 276-278
 - Sort, 160
 - Sort [Restore], 162
 - Unsort, 160
- script step Options area, 43, 246
- script steps, 25, 249
 - duplicating, 339
 - headings, 42
 - overview of, 248-250
 - selecting, 42
 - web-compatible, 369-370
- script variable, 271
- ScriptMaker, 25
 - Edit button, 25
 - Indicate web compatibility check box, 370

- memorizing sort, 160
- scripts, 25, 245
 - adding, 41-45
 - allowing creation of, 418
 - altering with error messages, 156
 - assigning to buttons, 45-46
 - brackets in, 43, 154-155, 156, 249
 - changing order of, 25
 - commenting, 253
 - controlling access with, 426-427
 - copy and paste, 274-275, 287-288
 - creating for reports, 170
 - creating records with, 67-68
 - debugging, 160, 271-274, 520-521
 - deleting multiple, 513
 - detecting importing errors with, 274
 - documenting with Comment script step, 253
 - duplicating multiple, 513
 - executable only option, 419
 - experimenting with, 246
 - exporting records with, 442-443
 - filter, 287
 - find limitations, 157
 - finds in, 154-156, 273-274
 - handling dates with, 216
 - importing, 53, 274-278
 - in FileMaker Mobile, 465
 - limiting access with, 426-427
 - memorizing find criteria, 153
 - multi-file, 255
 - numbering, 520-521
 - omit records with, 159
 - organizing, 284-285, 517
 - performing in other files, 247
 - performing other scripts from within, 247
 - planning, 246-248
 - printing, 273
 - running when closing file, 275-276
 - running when opening file, 275-276
 - ScriptMaker, 25-26, 41
 - selecting multiple, 513
 - shutdown, 275-276
 - sort, 160
 - startup, 275-276
 - viewing external, 289
 - what can go wrong, 248, 273-274
- Scripts access options, 418-420
- Scripts menu, 25
- scroll control, 100
- scrolling in a portal, 111
- search, *see* finds
- Secure Socket Layer, *see* SSL
- security, 402-403
 - multiple file system, 114
 - record-level, 411-412
 - web, 375-376
- Select a Theme window, Layout Assistant, 166-167
- Select Objects by Type icon, 307
- Select Objects by Type toolbar button, 36
- Select ODBC Data Source window, 389
- Select option in script step, 273
- SELECT tab, 390
- Select Window script step, 280
- selecting
 - contents of text field, 75
 - current record number, 68
 - driver for data source, 385-387, 388-389
 - group of layout objects, 307-308
 - line of text, 75
 - multiple layout objects, 34
 - paragraph of text, 75
 - record, 68
 - script step, 25
 - with the Book, 68
- selection handles, 21-22
- Selection Mode tool, 102
- Selection tool, 34, 36
- Selection tool toolbar button, 36
- Self function⁹, 235-236
- self-join relationship, 124-125
- self-referencing relationship, 124
- semicolon parameter separator, 205
- semi-sorted status and new records, 68
- Send Backward toolbar button, 36
- Send Link (to Published Database)⁹, 357
- Send Mail script step, 515
- Send Records as Excel, 69-70, 355-357
- Send Records as PDF, 69-70, 268
- Send to Back toolbar button, 36
- Send us your Feedback option, xxviii
- Separation Model, 259-260
- separators,
 - in date fields, 56
 - in time fields, 56
 - parameter, 205
 - script, 286
- Serial Number check box, 179-180
- serial numbers,
 - auto-entered, 32, 179
 - generating, 179-180
 - in key field, 179-180
 - including text in auto-entered, 179
 - replacing, 85
 - sequential, 180

- updating, 449-450
- serving FileMaker files, 353
- Set Alignment toolbar button, 36
- Set Alignment window, 39
- Set Color tool, 102
- Set Field script step, 265
 - and Commit Records/Requests, 273
- Set input method to check box, 113
- Set Multi-User [Off] script step, 352
- Set Next Serial Value, 449-450
- Set Sliding/Printing window, 295-296
- Set Tab Order window, 74
- Set Variable, 269-270, 339, 438
- Set Web Viewer script step, 485
 - Go Back, 485
 - Go Forward, 485
 - Reload, 485
 - Reset, 485
- shadow tables, 498
- shaping layout objects with selection handles, 21-22
- shared files,
 - and fields formatted for global storage, 353
 - asking guests to close, 355
 - changing fields, 359
 - defining fields in, 352
 - layout order, 352
 - password protecting, 368
 - password protecting on web, 375-376
 - protecting, 352-353
 - sharing data with other programs, 383-385
- Sharing, FileMaker Network, 348
- sharing files, 349-352
- sharing turns off automatically, 355
- shortcut, 5
 - keyboard, xxvii
- Show Custom Dialog field validation, 277
- Show Custom Dialog script step, 276-278
- Show field frames when record is active
 - check box, 117, 295
- Show individual words check box, 75
- Show only related records check box, 256
- Show record using layout, 524
- Show records from pop-up list, 165
- Show repetitions check box, 224
- showing omitted records, 159
- shrinking
 - field to hide, 311
 - layout objects, 21
- shutdown script, 275-276
- Single Space toolbar button, 36
- single-user files, sync with, 461
- size limit
 - of number fields, 55-56
 - of text fields, 55
- Size palette, *see* Object Info palette
- Skip data entry validation option, 272-273
- Slider, 12
- sliding objects, 295-296
- slow network traffic, 355
- slow screen redraw, 309, 312
- Snap to Fit tool, 103
- Social Security number, validating, 185
- sort,
 - changing order of, 24
 - custom order based on value list, 105
 - data in Table view, 172
 - methods, 159-160
 - Perform without dialog option, 160
 - relationship using custom order based on value list, 105
 - script limitation, 162-163
 - Specify sort order option, 160
 - within scripts, 160
- Sort command, 24-25
- Sort context menu, 24
- Sort criteria in a script, 272
- Sort data when selecting column check box, 172
- sort limitation, FileMaker Mobile, 465
- Sort records check box, 97, 105
- Sort Records window, 24, 105-106, 168
- Sort [Restore] script step, 162
- Sort script step, 160
- sorting,
 - fields, 24-25
 - in FileMaker Mobile, 465
 - limitations of, 162-163
 - portals, 111-112, 262
 - records, 159-163
 - related records, 105-106
 - sub-summaries, 299-300
 - summary fields, 160-162
 - value lists, 139
- sound,
 - importing, 83
 - inserting, 83
 - recording, 83
- sounds in container fields, 57
- space character in SQL, 390
- spaces,
 - checking for extra in a field, 184
 - in filenames, 31
 - in table names, 135
 - in table occurrence names, 135

- validation for extra in a field, 184
- special characters,
 - and SQL, 390
 - and web sharing, 371
 - and XML, 470
 - avoiding in field names, 54-55
 - finding, 187
 - in number fields, 150
 - in table occurrence names, 125
 - indexing, 187
- Specify Calculation window, 58, 191
 - comparison and logical operators list, 191
 - Formula box, 191
 - Formula result Type pop-up, 191
 - Functions list, 191
 - Functions View pop-up, 191
 - Operators buttons, 191
 - Relationships pop-up list, 191
 - Storage Options button, 191
 - Table Context pop-up, 191
- Specify External Script window, 255
- Specify Field Order for Export window, 441
- Specify Fields window, Layout Assistant, 165-166
- Specify Find Requests criteria, 265
- Specify Find Requests window, 43
- Specify Grand Totals window, Layout Assistant, 169-170
- Specify Label Contents window, Layout Assistant, 173-174
- Specify ODBC SQL Query window, 390-391
- Specify Script Options window, 45-46
- Specify sort order option, Sort script step, 160
- Specify Sort window, *see* Sort Records window
- Specify Subtotals window, Layout Assistant, 169, 330
- Specify Table window, 17, 143, 496
- Specify XML and XSL Options window, 469
- specifying
 - context in calculations, 205
 - IP address, 351
 - URL address, 351
- speed of hard drive and file sharing, 354
- speed of network and file sharing, 354
- Spell Check toolbar button, 36
- Spell Checker, Visual, 84
- spell checking, 84
 - field-level control of, 84
- Spelling tab, 84
- SQL, 382
 - and field names, 54
 - and space characters, 390
 - and special characters, 390
 - keywords, 54
 - online tutorial, 393
 - ORDER BY tab, 391
 - SELECT tab, 389-390
 - WHERE tab, 390-391
- SQL join between tables, 390-391
- SQL Server 2000, 493
- SQL Server 2005, 493
- SQL servers using XML, 467
- SSL, 431
- stacking fields trick, 215
- Standard form layout, 23, 165, 291-293
- Standard toolbar, 36
- standards, developer, 519
- startup script, 275-276, 427
 - and Instant Web Publishing, 378
- static IP address, 361
- Status area, 9
 - Button tool, 45
 - controls, 27
 - Instant Web Publishing, 378
- Status functions, *see* Get functions
- Status(Current ODBC Error), *see* Get(LastODBCError)
- Status(CurrentError), *see* Get(LastError)
- Status(CurrentFoundCount), *see* Get(FoundCount)
- Status(CurrentGroups), *see* Get(PrivilegeSetName)
- Status(CurrentMessageChoice), *see* Get(LastMessageChoice)
- Status(CurrentModifierKeys), *see* Get(ActiveModifierKeys)
- Status(CurrentRecordNumber), *see* Get(RecordNumber)
- Status(CurrentUserName), *see* Get(UserName)
- StDev function, 220
- StDevP function, 220
- Storage Options button, 191
- Storage Options window, 201
- Storage tab, 185-188
- Store only a reference to the file check box, 82
- storing
 - calculated results with design functions, 238
 - numbers in text fields, 55
- stretching layout objects, 21
- Strict data type, 183
 - pop-up, 13

- validation problem, 183
- Structured Query Language, *see* SQL
- style sheet, XSL, 469-470, 471-472
- sub-pixel rendering, 38
- sub-summaries, 23-24
 - and Preview mode, 295
 - and Table view, 297
 - invisible in Browse mode, 295
 - leading, 299-300
 - printing, 299
 - trailing, 299-300
- Sub-summary Part Definition window, 172
 - page break options, 172
- sub-summary parts,
 - problems, 335
 - using, 299
- subtraction operator, 193
- summaries,
 - leading grand, 300
 - trailing grand, 300
- summarizing by fields, Layout Assistant, 168
- summary fields, 59-60
 - entering data in, 71
 - information affected by sort, 59
 - placement on layout, 299
 - position on layout, 59
 - sorting, 160-162
 - using data from a related file, 59
 - vs. calculation fields, 59, 202
- summary functions, 221-223
- SuperDuper!, 434
- supplemental fields, 498
- support agreement, 527
- switching
 - between layouts, 21
 - between records, 9
 - layouts while in Find mode, 154
 - modes, 20
 - tools, 37
 - user accounts, xxvii
- Symbol bar code reading device, 452
- sync problems, 455
- sync External SQL Source, 499, 500-501
- synchronizing network clock, 57
- syncing, 455
 - with PC, 460-461
 - with PDA, 453
- System DSN, 385

T

- tab control, 72-73, 314-318
 - color, 317
- Tab, Default Front, 315
- Tab Justification drop-down, 315

- Tab key, 8
 - go to next field using, 174
 - in a portal, 111
- tab order, 72-75
 - and overlapping fields, 74
 - and tab control, 72-73
 - buttons, 72
 - creating, 72-74
 - moving backward through, 73
 - renumbering, 73
 - reverting, 73, 89
- Tab Width⁹, 315
- table associations, viewing, 305
- Table Context pop-up, 191
- table display toggle, 99
- table info control, 99
- table occurrence, 16-17, 100
 - color, 102, 118
 - naming, 125, 127-128, 135
 - path, 261
- table occurrence group, 261
- table reference, 18
- Table view, 172-173
 - and reports, 297
 - Include header part check box, 172
 - restricting access, 174
 - sorting, 172
 - using, 154
 - vs. List view, 297
- Table View layout, 23
 - vs. Columnar List/Report, 293-295
- Table View Properties window, 173
- tables, 3, 7-8
 - child, 104, 118-119
 - defining, 93-94
 - importing, 130-131
 - join, 123-124
 - master, 104, 118-119
 - naming, 135
 - parent, 104, 118-119
 - related, 104, 118-119
 - resizing columns in, 173
 - shadow, 498
 - vs. View as Table, 92
- Tables tab, 14
- tabs,
 - custom, 64
 - layout part label, 298
- Tabs button, Text Format window, 64
- TCP port 5003, 348
- TCP/IP, 347
 - and port number, 367
- TCP/IP OT Network file (Macintosh), 349

- tearing off toolbars, 37
- tech support, 527
- template file, 7
- templates, 303-304
- terabyte, 122
- text,
 - alignment buttons, 36
 - arguments, 205
 - changing format in Browse mode, 48
 - color, 239-240, 265
 - combining in a calculation, 140
 - constants, 199-200
 - editing on a button, 46
 - in auto-entered key field, 179
 - in calculation field, 180-181, 187
 - in number field, 187
 - including in auto-entered serial number, 179
 - parameters, 205
 - range problem, 184
 - selecting current line, 75
 - selecting current paragraph, 75
 - size, 239
 - style, 239
- text block limits, 55
- text color, formatting, 83, 239-240, 265
- text constant limits, 200
- text constant text operator, 199-200
- text fields, 55
 - and phone numbers, 46
 - and zip codes, 47
 - character limit in, 55
 - for product numbers, 123, 131
 - formatting, 64
 - numbers in, 55
 - selecting current contents, 75
 - size limit, 55
 - storing numbers in, 55
- Text Format button, 64
- text formatting, 83
- text formatting functions, 239-240
- Text Formatting toolbar, 36
- text functions, 205-206
- text operators, 199-201
- Text tool, 36
 - editing text on a button, 46
- Text tool toolbar button, 36
- TextToDate function, *see* GetAsDate(text)
- themes,
 - creating, 166-167
 - modifying, 166-167
- This operation will cause objects to extend off the layout warning, 294
- Tier3 Data & Web, 492
- time,
 - finding in number fields, 179
 - formatting in merge fields, 174
 - functions, 216
 - inserting current, 75
 - military, 56
 - tracking modifications of, 179
 - validating, 182
- time clock project, 216-218
- time fields, 56
 - AM, 56
 - formatting, 65
 - in FileMaker Mobile, 458
 - PM, 56
 - separators, 56
- time functions, 216
- timestamp fields, 57, 149
 - formatting, 65
- timestamp functions, 240
- Title
 - Footer layout part, 300
 - Header layout part, 298
- TO, *see* table occurrence
- Today function, *see also* Get(CurrentDate)
 - and FileMaker Server, 340-341
 - avoiding in calculations, 340-341
 - vs. global storage field, 341
 - vs. Replace script step, 341-342
- today's date find symbol, 149
- tooggling layout part tabs, 171
- tool icons, 101-103
- Tool panel, 27, 36
 - locking tools on, 37
- toolbars
 - Arrange, 36
 - Layout, 36
 - Standard, 36
 - Text Formatting, 36
 - Tools, 36
- toolbars,
 - available in Layout mode, 36
 - hiding, 37
 - horizontal, 37
 - resizing, 37
 - vertical, 37
 - won't work, 37
- tools, switching, 37
- Tools toolbar, 36
- Tooltips, 322-323
- trailing grand summaries layout part, 300
 - viewing, 71
- trailing sub-summaries layout part, 299-300

training, FileMaker Pro, 529-530
 Translate into drop-down menu, 188
 trash can, 101
 trigonometric functions, 227-228
 TSM, *see* Separation Model
 T-Squares option, 38
 two-digit years, 149
 two-way relationship, 103-104, 114
 Type column, 15

U

unable to read disk, 445
 Underline toolbar button, 36
 Undo command, 21
 in FileMaker Mobile, 465
 limitations of, 89
 multiple levels of⁹, 88
 Undo toolbar button, 36
 undoing an error in a script, 44
 unenterable fields, 71
 unequal relationships, 95, 126
 Ungroup toolbar button, 36
 Unicode, 146, 187
 unindexed fields,
 finding, 188
 in relationships, 188
 uninterruptible power supply, *see* UPS
 unique key, 95, 141
 Unique validation option, 184
 Universal Application support, xxvi
 Unlock command, 40
 Unlock toolbar button, 36
 Unrelated Table message, 108
 Unsort script step, 160
 unstored key field, 188
 unsuccessful file recovery, 445
 unterminated path, 126
 Update matching records radio button,
 398-399
 Update serial number in Entry Options check
 box, 85
 updating
 calculations, 274
 files, 426
 serial numbers, 449-450
 UPS (uninterruptible power supply), 437, 440
 URL, 454, 482, 487
 GetAsUrlEncoded, 208, 483
 USB port, 454
 Use external table's layouts check box, 256
 Use global storage check box, 61
 Use values from field radio button, 79
 user accounts, switching, xxvii
 user dictionary, 84

User DSN tab, 364-365, 367, 385
 user name, insert current, 75
 users, preventing from creating database, 516
 user's guide, 204
 using
 backup files, 445-450
 check boxes, 89
 container fields, 81-83
 data from a related file in summary fields,
 59
 layout elements from other files, 53
 spaces in field names, 54
 Text tool to change text on button, 48
 underscore character in field names, 54
 value lists, 77-79

V

validate by calculation vs. calculation as
 validation, 184-185
 Validate data in this field area, 182-183
 Validated By Calculation check box, 184-185
 validation,
 allowing user override, 189
 by calculation, 184-185
 displaying custom message, 185, 429-430
 failure message, 185, 429-430
 for extra carriage returns in a field,
 184-185
 for extra spaces in a field, 185
 for length of zip code field, 185
 message, 185
 of Social Security Number field, 185
 using to prevent incorrect choices from
 pop-up list, 184
 via external server, 44
 warning dialog box, 185
 validation options, 182-185
 4-Digit Year Date, 183
 Existing value, 184
 In Range, 184
 Maximum number of characters, 185
 Member of Value List, 184
 Not Empty, 183
 Numeric Only, 183
 Strict data type, 183
 Time of Day, 183
 Unique Value, 184
 Validation tab, 182-185
 validation warning, overriding, 185
 validations, multiple, 182
 value,
 auto-entered from last visited record, 180
 Boolean, 194-195
 inconsistency in evaluating, 195

- null, 195
- Value from last visited record check box, 180
- Value from Previous Record, *see* Value from last visited record check box
- value list privileges, 416-417
- value lists, 77
 - accessing, 416-417
 - adding values to, 79
 - allowing creation of, 417
 - and reformatting fields, 307
 - creating, 78-79
 - creating in child table for drop-down lists, 138-140
 - display options, 139
 - editing, 79, 105
 - External SQL Source, 501
 - file reference, 139
 - from external file, 139
 - managing, 138
 - missing entries, 141
 - sorting, 139
 - types of, 77
 - using, 77-79
- Value Lists access options, 416-417
- values,
 - auto-entered, 179-182
 - in globally formatted fields, 353
 - invisible in Browse mode, 295
- variable,
 - file, 340
 - script, 241
 - set, 269-270, 339, 438
 - set step, 269
- Variance function, 220
- VarianceP function, 220
- Vertical labels layout, 23, 174
- vertical lines, 301
- vertical scroll bar in portal, 111
- vertical toolbar, 37
- View as Table,
 - merge fields, 174
 - vs. table, 92
- View List Control, 287
- View menu, 13, 20
- View menu options
 - Find mode, 23, 145
 - Object Info, 482
 - Object Size, 38
 - Show, Non-Printing Objects, 309
 - Show, Sample Data, 21
 - Toolbars, 36
 - T-Squares, 38
 - View as List, 23
 - View as Table, 23
- views, External SQL Source, 500
- virus detection, 440
- Visor, Handspring, 454
- Visual Spell Checker, 84
- Voth, Beverly, 492
- W**
- warnings
 - formula element is missing, 199-200
 - Sorry, this operation could not be completed because you have reached text block limits, 55
 - This operation will cause objects to extend off the layout, 294
- web,
 - changing access remotely, 375-376
 - layouts, 369-371
 - security, 375-376
 - server port, 367
 - service provider, 362
 - serving, 364
 - shared files, 375-376
 - shared files location, 378
- Web activity check box, 378-379
- Web Address box, 476-477
- web hosting, 530
 - professional, 379
- web security, 375-376
- web sharing, 360-361
 - and access privileges, 375-376
 - and encryption, 431
 - and FileMaker Pro, 378
 - and JPG images, 369
 - and layout names, 371
 - and portals, 371
 - and special characters, 371
 - IP addresses, 375-376
 - layout considerations, 369-371
 - limits on user numbers, 378
 - problems, 378-379
 - restricting access by IP address, 375-376
 - using Ethernet, 380
 - with yourself, 380
- web sites,
 - custom, 377
 - powered by FileMaker, 379
- Web Viewer (WV), 475-490
 - and charts, 484
 - and PDF files, 481-482
 - cell-phone sized, 483
 - mini, 483
- Web Viewer Setup dialog, 477
- web-compatible script steps, 369-370

- web-safe 212-color palette, 310
- When deleting a record in this file, also delete
 - related records check box, Edit Relationship window, 97
- WHERE tab, 390-391
- Wikipedia, 475, 477
- Wiktionary, 477
- window,
 - hiding (Macintosh), 94
 - minimizing (Windows), 94
- Window menu options
 - Hide Window, 94
 - New Window, 278
 - Show Window, 112, 280
- Windows 2000, setting up for Instant Web Publishing, 363-364
- Windows Domain, 404
- Windows XP, xxvii
 - Fast User Switching, xxvii
 - setting up for Instant Web Publishing, 364
- word uniqueness, 141
- Word, *see* Microsoft Word

X

- XML, 167, 466-467
 - export script, 470-471
 - exporting as HTML, 469-472
 - FileMaker themes, 167, 467
 - importing, 4473
 - opening, 473

- special characters, 470
 - using, 467-468
 - vs. ODBC, 466-467
 - Web Publishing, 421
 - web request, 472-473
- XOR, 198-199
- XOR logical operator, 198-199
- XP, *see* Windows XP
- XSL, 467
 - using local style sheet, 469-470
 - using remote style sheet, 471-472
- XSLT, 377
 - Web Publishing, 421

Z

- zero or more characters find symbol, 150
- zigzagged arrow, 355
- zip code,
 - as a text field, 47
 - database lookups, 181
 - plus four, 47, 175
 - validating length of field, 184
- Zoom area controls, 27
- Zoom In Mode tool, 102
- Zoom In tool, 74
- Zoom Out Mode tool, 102-103
- Zoom Out tool, 74
- Zoom Percentage Indicator tool, 103